

# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Addiese: COMMISSIONER FOR PATENTS P O Box 1450 Alexandra, Virginia 22313-1450 www.wepto.gov

| APPLICATION NO.   | FILING DATE | FIRST NAMED INVENTOR | ATTORNEY DOCKET NO. | CONFIRMATION NO. |  |
|---|-------------|----------------------|---------------------|------------------|--|
| 10/524,444  | 02/11/2005  | Teruhiko Mochizuki   | 450100-04730        | 4577             |  |
| 7550 05/12/2908<br>William S Frommer<br>Frommer Lawrence & Haug |             |                      | EXAM                | EXAMINER         |  |
|   |             |                      | HEYI, HENOK G       |                  |  |
| 745 Fifth Aver<br>New York, NY                                  |             |                      | ART UNIT            | PAPER NUMBER     |  |
| 11011 10111,111   | 10101       |                      | 2627                |                  |  |
|   |             |                      |                     |                  |  |
|   |             |                      | MAIL DATE           | DELIVERY MODE    |  |
|   |             |                      | 05/12/2008          | PAPER            |  |

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

## Application No. Applicant(s) 10/524,444 MOCHIZUKI ET AL. Office Action Summary Examiner Art Unit HENOK G. HEYI 2627 -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --Period for Reply A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS. WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION. Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication. If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication - Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b). Status 1) Responsive to communication(s) filed on 11 February 2005. 2a) This action is FINAL. 2b) This action is non-final. 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213. Disposition of Claims 4) Claim(s) 1-14 is/are pending in the application. 4a) Of the above claim(s) 1-7 is/are withdrawn from consideration. 5) Claim(s) \_\_\_\_\_ is/are allowed. 6) Claim(s) 7-14 is/are rejected. 7) Claim(s) \_\_\_\_\_ is/are objected to. 8) Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement. Application Papers 9) The specification is objected to by the Examiner. 10) ☐ The drawing(s) filed on 11 February 2005 is/are: a) ☐ accepted or b) ☐ objected to by the Examiner. Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a). Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d). 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152. Priority under 35 U.S.C. § 119 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some \* c) None of: Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)). \* See the attached detailed Office action for a list of the certified copies not received.

1) Notice of References Cited (PTO-892)

Paper No(s)/Mail Date 12/04/2006.

2) Notice of Draftsperson's Patent Drawing Review (PTO-948)

Attachment(s)

Interview Summary (PTO-413)
 Paper No(s)/Mail Date.

6) Other:

Notice of Informal Patent Application

Application/Control Number: 10/524,444

Art Unit: 2627

#### DETAILED ACTION

### Claim Rejections - 35 USC § 101

Claim 14 is rejected under 35 U.S.C. 101 because the claimed invention is directed to non-statutory subject matter.

Claim 14 is drawn to a "program" per se as recited in the preamble and as such is nonstatutory subject matter. See MPEP §2106.IV.B.1.a. Data structures not claimed as embodied in computer readable media are descriptive material per se and are not statutory because they are not capable of causing functional change in the computer. See, e.g. Warmerdam, 33 F.3d at 1361, 31 USPQ2d at 1760 (claim to a data structure per se held non-statutory). Such claimed data structures do not define any structural and functional interrelationships between the data structure and other claimed aspects of the invention, which permit the data structure's functionality to be realized. In contrast, a claimed computer readable medium encoded with a data structure defines structural and functional interrelationships between the data structure and the computer software and hardware components which permit the data structure's functionality to be realized, and is thus statutory. Similarly, computer programs claimed as computer listings per se, i.e., the descriptions or expressions of the programs are not physical "things." They are neither computer components nor statutory processes, as they are not "acts" being performed. Such claimed computer programs do not define any structural and functional interrelationships between the computer program and other claimed elements of a computer, which permit the computer program's functionality to be realized.

Page 3

Application/Control Number: 10/524,444

Art Unit: 2627

### Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 8-14 are rejected under 35 U.S.C. 102(b) as being anticipated by Hirofumi JP 2000-276851 (Hirofumi hereinafter).

Re claim 8, Hirofumi teaches a playback apparatus for playing back a data file recorded in a distributed manner on an information recording medium (digital data playback equipment, para [0001] of detailed description), said playback apparatus comprising: specification means for specifying a data file to be played back (reproduction mode is inputted with said operation switch 29 and the file name of desired digital coding compression data is specified, In advance of reading of the data of a designated file name, para [0029]); storage means for reading and storing a first table recorded on said information recording medium (non volatile semiconductor memory divides data storage area, para [0004]); generation means for generating, based on said first table recorded by said storage means, a second table in which unit recording area addresses of said information recording medium (the list generation processing means of said microprocessor, para [0029]), which are used to record said data file specified by said specification means, are recorded in the forward direction (fast forwarding reproduction is possible to a forward direction, para [0001]; holding means for holding said second

Application/Control Number: 10/524,444

Art Unit: 2627

table generated by said generation means (it is shown that the cluster number 2 to data is recorded from a FAT entry, para [0027]); reading means for reading said data file from said information recording medium in accordance with said specified unit recording area addresses every time at normal playback time, fast forward playback time, and fast backward playback time (a FAT entry is read, and it loads to said RAM11. Next, the cluster number indicated for the FAT entry of the directory entry is read at Step S2, it is set as the top cluster number of a forward direction list, and said top cluster number is set as the end cluster number of an opposite direction list at Step S3, para [0037]); and indication means for indicating, to said reading means, said unit recording area addresses to be read by referring to said second table held by said holding means (the following record cluster is shown is indicated and it is shown in a figure. It is indicated to the FAT data 3 at the top cluster 2, and is indicated like in the FAT data 100 etc. to the cluster 3 at the FAT data 4 and the cluster 4, This file data is completed to the cluster 6, and the numerals of FFFh are indicated to it as FAT data in which a cluster is shown. and data can distinguish what is recorded, para [0027]).

Re claim 9, Hirofumi teaches the playback apparatus according to Claim 8, wherein, during normal playback, said indication means reads said unit recording area addresses, which are recorded in said second table, one-by-one in the forward direction, and indicates the unit recording area addresses to said reading means (the FAT data of the top cluster number of said forward direction is read by step S4. In Step S5, the FAT data read by said step S4 shows an end cluster, and the numerals FFFh distinguish, para [0037]).

Application/Control Number: 10/524,444 Art Unit: 2627

Re claim 10, Hirofumi teaches the playback apparatus according to Claim 8, wherein, during fast forward playback, said indication means reads said unit recording area addresses recorded in said second table every predetermined number of the unit recording area addresses in the forward direction, and indicates the unit recording area addresses to said reading means (at the time of fast forwarding reproduction. The cluster number of a skip place is searched according to a forward direction list, para [0041]).

Re claim 11, Hirofumi teaches the playback apparatus according to Claim 8, wherein, during fast backward playback, said indication means reads said unit recording area addresses recorded in said second table every predetermined number of the unit recording area addresses in the reverse direction, and indicates the unit recording area addresses to said reading means (at the time of review reproduction, the cluster number of a skip place is searched according to an opposite direction list, and the record data of the cluster of a skip place becomes refreshable in an instant, Para [0041]).

Re claim 12, Hirofumi teaches a playback method for use with a playback apparatus for playing back a data file recorded in a distributed manner on an information recording medium (digital data playback equipment, para [0001] of detailed description), said playback method comprising: a specification step of specifying a data file to be played back (reproduction mode is inputted with said operation switch 29 and the file name of desired digital coding compression data is specified, In advance of reading of the data of a designated file name, para [0029]); a storage step of reading and storing a first table recorded on said information recording medium (non volatile semiconductor

Application/Control Number: 10/524,444
Art Unit: 2627

memory divides data storage area, para [0004]); a generation step of generating, based on said first table recorded in said storage step, a second table in which unit recording area addresses of said information recording medium (the list generation processing means of said microprocessor, para [0029]), which are used to record said data file specified in said specification step, are recorded in the forward direction (fast forwarding reproduction is possible to a forward direction, para [0001]); a holding step of holding said second table generated in said generation step (it is shown that the cluster number 2 to data is recorded from a FAT entry, para [0027]); a reading step of reading said data file from said information recording medium in accordance with said specified unit recording area addresses every time at normal playback time, fast forward playback time, and fast backward playback time (a FAT entry is read, and it loads to said RAM11. Next, the cluster number indicated for the FAT entry of the directory entry is read at Step S2, it is set as the top cluster number of a forward direction list, and said top cluster number is set as the end cluster number of an opposite direction list at Step S3. para [0037]); and an indication step of indicating, to said reading step, said unit recording area addresses to be read by referring to said second table held in said holding step (the following record cluster is shown is indicated and it is shown in a figure, It is indicated to the FAT data 3 at the top cluster 2, and is indicated like in the FAT data 100 etc. to the cluster 3 at the FAT data 4 and the cluster 4. This file data is completed to the cluster 6, and the numerals of FFFh are indicated to it as FAT data in which a cluster is shown, and data can distinguish what is recorded, para [0027]).

Application/Control Number: 10/524,444

Art Unit: 2627

Re claim 13 and 14, Hirofumi teaches a recording medium (digital data playback equipment, para [0001] of detailed description) having recorded thereon a computerreadable program for use with a playback apparatus for playing back a data file recorded in a distributed manner on an information recording medium, said program comprising: a storage step of reading and storing a first table stored on said information recording medium (non volatile semiconductor memory divides data storage area, para [0004]); a generation step of generating, based on said first table recorded in said storage step, a second table in which unit recording area addresses of said information recording medium (the list generation processing means of said microprocessor, para [0029]), which are used to record said specified data file, are recorded in the forward direction (fast forwarding reproduction is possible to a forward direction, para [0001]); a holding step of holding said second table generated in said generation step (it is shown that the cluster number 2 to data is recorded from a FAT entry, para [0027]); a reading step of reading said data file from said information recording medium in accordance with said specified unit recording area addresses every time at normal playback time, fast forward playback time, and fast backward playback time (a FAT entry is read, and it loads to said RAM11. Next, the cluster number indicated for the FAT entry of the directory entry is read at Step S2, it is set as the top cluster number of a forward direction list, and said top cluster number is set as the end cluster number of an opposite direction list at Step S3, para [0037]); and an indication step of indicating, to said reading step, said unit recording area addresses to be read by referring to said second table held in said holding step (the following record cluster is shown is indicated

and it is shown in a figure, It is indicated to the FAT data 3 at the top cluster 2, and is indicated like in the FAT data 100 etc. to the cluster 3 at the FAT data 4 and the cluster 4, This file data is completed to the cluster 6, and the numerals of FFFh are indicated to it as FAT data in which a cluster is shown, and data can distinguish what is recorded, para [0027]).

#### Conclusion

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Hirabayashi teaches a trick play table which shows the address of the sector to be read out for normal play, fast forward or fast backward play.

#### Contact

Any inquiry concerning this communication or earlier communications from the examiner should be directed to HENOK G. HEYI whose telephone number is (571)270-1816. The examiner can normally be reached on Monday to Friday 8:30 to 6:00 EST.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, William Korzuch can be reached on (571) 272-7589. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Application/Control Number: 10/524,444 Page 9

Art Unit: 2627

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

/Henok G Heyi/ Examiner, Art Unit 2627 /William Korzuch/ SPE, Art Unit 2627